8 9

SPECIAL ORDINANCE NO. S- 343-91

AN ORDINANCE approving the awarding of Reference #1587 by the City of Fort Wayne, Indiana, by and through its Department of Purchasing and ALLEN COUNTY MOTORS, INC. for the Parks and Recreation Department.

NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA;

SECTION 1. That Reference #1587 between the City of Fort Wayne, by and through its Department of Purchasing and ALLEN COUNTY MOTORS, INC. for the Parks and Recreation Department, respectfully for:

the purchase of the following trucks: 2-one ton dump regular cab chassis, 2-3/4 ton utility truck regular chassis, and 2-3/4 ton cargo vans for the Parks and Recreation Department;

involving a total cost of Ninety-Eight Thousand Three Hundred Thirty-Six and no/100+/- Dollars (\$98,336.00+/-), all as more particularly set forth in said Reference #1587 which is on file in the Office of the Department of Purchasing, and is by reference incorporated herein, made a part hereof, and is hereby in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be in full force and effect from and after its passage and any and all necessary approval by the Mayof.

Council Member

APPROVED AS TO FORM AND LEGALITY

J. Timothy McCaulay, City Attorney

REF. NO.: 1587

DEPT: PARK DEPARTMENT

DATE: 11/21/91

ITEM/SERVICE: TRUCKS

PURCHASING INFORMATION

ADVERTISED BID: YES

DATES ADVERTISED: 10/30/91 & 11/06/91

OPENING DATE: 11/18/91

WRITTEN QUOTE: NO

DUE DATE:

VERBAL QUOTE: NO

SINGLE SOURCE: NO

NO. OF VENDORS NOTIFIED: 22

NO. OF VENDORS RECEIVING BID: 7

NO. OF VENDORS RETURNING BID: 3

NO. OF VENDORS DISQUALIFIED: 0

NO. OF VENDORS NOT RESPONDING: 19

DATE SENT TO DEPT FOR RECOMM: 11/21/91

DATE RECOMMENDATION REC'D IN PURCH 12/05/91

COUNCIL INFORMATION DATES SENT EXTENSION DATES

DATE INFO SENT TO LAW DEPT: 12/05/91

INTRODUCTION DATE: 12/10/91

DISCUSSION DATE: 12/19/91

PASSAGE DATE: 01/07/92

ORDINANCE NO:

AMOUNT APPROVED AND/OR SPENT

LAST YEAR:

REFERENCE NO. 1587 FRUCKS 11/21/91

ETEM	ALLEN CO MOTORS	KELLEY CHEVY	ERNST TRUCK EQUIP
'EAR	1992	NO BID	NO BID
TAKE	FORD	NO BID .	NO SID
ODEL	F-250 HD	NO BID	NO BID
/4 TON REG CAB			10.0
	\$13,754.00		NO BID
ODY	\$3,638.00		\$4,112.00
IR COMPRESSOR	\$1,724.00		\$1,815.00
ESS TRADE	\$575.00	NO BID	NO BID
UBTOTAL	\$18,541.00	\$0.00	\$5,927.00
EAR	1992	NO BID	NO SID
AKE	FORD	NO BID	HO BID
ODEL	F-250 HD	NO BID	NO BID
/4 TON REG CAB	\$13,754.00		NO BID
ODY	\$2,593.00		\$2,852.00
ESS TRADE	\$575.00		NO BID
LOO TABLE	4017.00		uc 010
UBTOTAL	\$15,772.00	\$0.00	\$2.852.00
EAR	NO 810	NO BID	NO SID
AKE	NO BID	NO BID	NO BID
ODEL	NO BID	NO BID	NO BID
TON REG CAB	NO BID	NO BID	NO BID
ERIAL BUCKET DEVICE	NO BID	NO BID	NO BID
EUTHE BOOKEL MEATOR	NG DID	WO 919	40 810
UBTOTAL	\$0.00	\$0.00	\$0.00
EAR	1992	NO BID	NO BID
AKE	FORD	NO BID	HO BID
ODEL	F-350	NO BIO	NO BID
TON REG CAB	\$14,120.00		NO BID
UMP BODY	\$4,549.00		\$5,878.00
ESS TRADE	\$1,150.00	NO BID	NO BID
JBTOTAL	\$17,519.00	\$0.00	\$5,878.00
EAR	1992	1992	NO BID
4KE	FORD	CHEVROLET	NO BID
DOEL	ECONOLINE E-250		NO BID
/4 TON CARGO VAN	\$13,925.00		NO BID
ESS TRADE	\$275.00	\$500.00	NO BID
JETOTAL	\$13,650.00	\$14,317.34	\$0.00
TIONS FOR VAN*			
INUALS	\$210.00	\$50.00	NO BID
ISTPROOFING	\$130.00	\$100.00	NO BID
		\$1,290.68 *	
HAR AIR/HEATER	\$1.582.00		
IDITIONAL VAN	\$13,925.00	\$14,817.34	NO BID

FRAND TOTAL W/OUT VAN OPT.

\$65,482.00

\$14,317.34

\$14,657.00

IELIVERY ON VEHICLES

120 DAYS

90 DAYS

:OPTIONS ARE NOT INCLUDED IN THE SUBTOTAL OF VAN :*FRONT AIR ONLY

FRONT PAGE/INVITATION TO BID DEPARTMENT OF PURCHASING CITY OF FORT WAYNE, ALLEN COUNTY, INDIANA ONE MAIN STREET - ROOM 350 PHONE 219-427-1101

BID OPENING DATE 11-18-91 @ 11:00 AM BID REFERENCE #
SEALED BIDS SHOULD BE DELIVERED TO DEPARTMENT OF PURCHASING, ROOM 350, CITY-COUNTY BUILDING UP TO 11:00 A.M. ON OR BEFORE OPENING DATE.
SEALED BIDS WILL BE OPENED PUBLICLY AT 11:01 A.M. IN THE BOARD OF WORKS & SAFETY CONFERENCE ROOM ON THE THIRD FLOOR OF THE CITY-COUNTY BUILDING. "NO LATE BIDS WILL BE ACCEPTED AFTER 11:00 A.M. FOR ANY REASON WHATSOEVER".
THIS INVITATION FOR BID IS FOR <u>1 1992 ONE TON DUMP</u> , 2 1992 3/4 TON UTILITY TRK, 1 1992 ONE TON REG CAB AERIAL BUCKET TRK, AND 1 1992 3/4 TON CARGO VAN PER SPECIFICATIONS
AND REQUESTED BY BOARD OF PARK COMMISSIONERS
THIS BID REQUIRES AXXX 5% BID BOND, CERTIFIED OR CASHIER'S CHECK OF ALL BIDDERS.
THIS BID REQUIRES A 100% PERFORMANCE BOND OF SUCCESSFUL BIDDER(S).
PROMPT PAYMENT DISCOUNTS WILL BE ALLOWED AS FOLLOWS:% IF PAID WITHIN DAYS.
THIS INVITATION IS ISSUED TO ESTABLISH A CONTRACT TO SUPPLY THE CITY OF FORT WAYNE WITH A COMMODITY OR SERVICE IN ACCORDANCE WITH ACCOMPANYING SPECIFICATIONS.
THE EXECUTION HEREOF BY THE BIDDER IS ACCEPTANCE OF ALL TERMS AND CONDITIONS HEREIN AND IN THAT REGARD THE BIDDER AGREES TO BE BOUND BY SAME AND BE BOUND TO THE AMOUNT OF HIS/HER BID FOR A PERIOD OF VINETY (90) DAYS.
FIRM NAME Allew County Motors, INC.
STREET ADDRESS 2300 W. JEFFERSON Blub
CITY FT. WAYNE, IN 46802 PHONE # 432-9545
BY REPRESENTATIVE SIGNATURE

3/4 TON REGULAR CAB CHASSIS AND UTILITY BODY SPECIFICATIONS.

SHOP TRUCK

1.	GVW:	8,500 lb minimum.
2.	Wheelbase:	130 inches minimum.
3.	Front Axle:	4,600 lb minimum, nondriven.
4.	Rear Axle:	6,250 lb minimum. limited slip, 4.10 ratio.
5.	Engine:	350 CID minimum, fuel injected, gasoline preferred.
6.	Transmission:	Heavy duty 3 speed automatic with heavy duty oil cooler.
7.	Electrical System:	12 volt system; heavy duty alternator with 70 amp minimum rating; dual heavy duty maintenance free batteries.
8.	Steering:	Power.
9.	Cooling System:	Heavy duty.
10.	Air Cleaner:	Standard.

11. Shock Absorbers: Front/rear heavy duty gas filled.

12. Springs: Front 4600 lb minimum rating. Rear 6000 lb minimum rating.

13. Brakes: Power assisted dual system with rear antilock.

14. Bumper: Front only, painted.

1992

Model Year:

15. Cab Interior: Dual padded visors. Cab dome light.

Heavy duty full foam padded vinyl seat.

Seat belts for three passengers.

Chestnut vinyl or equivalent interior.

Full-rubber floor mats.

16. Directional Signals: Self cancelling front and rear.

17. Headlights: Halogen with high impact lenses.

18. Windshield Wipers: Two speed intermittent with washer.

19. Heater/Defroster: High output with fresh air/recirculation. Side window demisters.

20. Instruments: All gauge type: ammeter, oil pressure, water temperature, fuel.

21. Indicators: High beam, brake failure, turn signals.

22. Mirrors: Day/night interior. Left and right door mounted 6" x 9" swing lock.

23. Fuel Tank: 35 gal minimum.

24. Glass: Tinted. Pivoting side vent windows.

25. Tires: Front/Rear/Spare - LT235/85RX16E. Black side wall all weather tires.

26. Miscellaneous: Inside hood release. Standard AM radio.

27. Paint: Special, contact Ken Lozo, 427-1253.

OPTIONS

1. Utility Body Specifications

a. Dimensions: 79" wide by 96" long.b. Body Construction: All welded steel with structural steel

reinforcements. Street side compartments for gas powered air compressor, air tank, and 5 gal fuel cans. Curb side storage compartments for tools and parts.

for tools and parts.

c. Tailgate: Powered lift gate, 1000 lb capacity.

d. Tow Pintle Plate: Plate provided for mounting of combination pintle/ball hitch at 22" ball height.

e. Mudflaps: 'Installed behind front and rear wheels.

f. Rustproofing: Body bottom and compartments.

g. Miscellaneous:

Running, brake, turn signal and marker
lights installed as required by
regulation.

2.	Manuals:		Complete dealer service manual set.	\$
3.	Chassis/Body Rustproofing:	;	Frame, chassis, body and fenders rustproofing in accordance with Milspec 297A-2-22-75 with warrenty provided. Rustproofing to be done after body installation.	\$
4.	Air Compressor:		Industrial/commercial electric start gas engine powered, base plate mounted pump producing at least 15 CFM at 175 PSI. 20 -30 gallon ASME approved receiver tank.	\$
5.	Trade In:		Subtotal Less Trade. #45 TOTAL FOB: Fort Wayne, In Delivery Time must be within 90 days award or purchase may be cancelled. Delivery time ARO Approx. /20	
			Rid anima malid on 45	-

Questionnaire

3/4 TON REGULAR CAB CHASSIS AND UTILITY BODY SPECIFICATIONS.

Truck Chassis
1: 8600 # GVW 1992 Ford F.250 H.D.
2: 133" W/B
3: <u>4200#</u>
4: 6250 # Limited Slip w/ 4.10 Ration
5: 351-V8 5,8L gas EFi
6: as spec
7: 75 Am Palt - 72 Am Plattery 650 eca
8: as spec
3: as spec Super Cooling PKG
10: as spec
11: as spec
12: Front 3890; Reon 6141
13: so spec Disa Fut; Dunn Rean
14: as spec
15:
16: Or spec
17: as aprec
18: as spec
19: 20 spec
eo: as oper
21: as spec
22: as spec
23: 37.2 gallon
24: as spec

25:	as spec	
26:		
27:	as spec	
	<i>i</i>	
Options		
1:	as spec	
2:	as spec	WATER CONTRACTOR OF THE CONTRA
3:	2-Bat	
4:	as spec	
5:	Sham	

QUOTATION

HOOSIER TRUCK EQUIPMENT INC.

5733 U.S. 30 East FORT WAYNE, INDIANA 46803

GM SHIP THRU - VWR (219) 493-2581 FAX (219) 493-1007 2429

TO City of Ft. Wayne
Bid Reference # 1587

OUOTATION DATE SALESPERSON

11/5/91 MJN
INQUIRY DATE INQUIRY NUMBER

PLEASE INDICATE THE ABOVE NUMBER WHEN ORDERING


allen Country Motors Bid

TIMATED SHIPPING DA	TE SHIPPED VIA	F.O.B.	TERMS	
Advise	DESCRIP	Ft. Wayne	Net 30 day	AMOUNT -
One	Omaha Standard Service Model 96V 96" long x 79 1/2" wid Body rustproofed per s	de specifications		
	Mud flspa behind front Waltoc Power Lift Gate 1250 lbs. capacity. 26 platform. Fixed bumper on body r of lift gate with hito Combination pintle & 2 XBL-1 Recessed lights ASbove equipment insta chassis, including req painting. Net cost	e, WPG-125X b"x59" + 4" ramp rear, independent th plate. 2" ball hitch instd. on rear of body. alled complete on puired lights &		3638. 00
O m ee	Ingersol Rand Air comp 10 HP Kohler engine, B 242 Series Air pump, E 15 ACFM @ 175 PSI Dimensions: 44.75 lon Weight: 480 lbs. 30 gal. ASME air recei 41"L x 20.5"H x 18"D , Tank & Comprerssor Net	Base Plate Mounted Electric Start. ng × 26" W × 22.5 H. ver tank, with feet		1724. 00
	Above equipment & inst meets or exceeds refer specifications.	allation, enced bid	auded Bid	

QUOTATION IS SUBJECT TO THE CONDITIONS PRINTED ON REVERSE SID	E, AND IS VALID FOR	DAYS. THEREAFTER IT IS SUBJECT TO CHANGE WITHOUT NOTICE
Max & Karburen	ACCEPTED	DATE
		Thank You!

WE ARE PLEASED TO SUBMIT THE ABOVE QUOTATION FOR YOUR CONSIDERATION, SHOULD YOU PLACE AN ORDER, BE ASSURED IT WILL RECEIVE OUR PROMPT ATTENTION. THIS

Type-30® Two-Stage
Gasoline Engine Driven
Reciprocating Air Compressors



INGERSOLL-RAND.
AIR COMPRESSORS

3/4 TON REGULAR CAB TRUCK CHASSIS AND UTILITY BODY SPECIFICATIONS.

WELD TRUCK

Model	Year:	1992
-------	-------	------

1. GVW: 8,500 1b minimum.

2. Wheelbase: 130 inches minimum.

Front Axle: 4,200 lb minimum, nondriven.

4. Rear Axle: 6,000 lb minimum. limited slip, 4.10

ratio.

5. Engine: 350 CID minimum, fuel injected, gasoline

preferred.

6. Transmission: Heavy duty 3 speed automatic with heavy

duty oil cooler.

7. Electrical System: 12 volt system. Heavy duty alternator

with 70 amp minimum rating. Heavy duty

maintenance free battery.

8. Steering: Power.

9. Cooling System: Heavy duty.

10. Air Cleaner: Standard.

11. Shock Absorbers: Front/rear heavy duty gas filled.

12. Springs: Front 4200 1b minimum rating. Rear 6000

1b minimum rating.

13. Brakes: Power assisted dual system with rear

antilock.

14. Bumper: Front only, painted.

15. Cab Interior: Dual padded visors.

Cab dome light.

Heavy duty full foam padded vinyl seat.

Seat belts for three passengers.

Chestnut vinyl or equivalent interior.

Eull pubber floor mats.

16. Directional Signals: Self cancelling front and rear.

17. Headlights: Halogen with high impact lenses.

18. Windshield Wipers: Two speed intermittent with washer.

19. Heater/Defroster: High output with fresh air/recirculation. Side window demisters. 20. Instruments: All gauge type: ammeter, oil pressure, water temperature, fuel. 21. Indicators: High beam, brake failure, turn signals. 22. Mirrors: Day/night interior. Left and right door mounted 6" x 9" swing lock. 23. Fuel Tank: 35 gal minimum. 24. Glass: Tinted. Pivoting side vent windows. 25. Tires: Front/Rear/Spare - LT235/85RX16E. Black side wall all weather tires. 26. Miscellaneous: Inside hood release. Signature all madico. 27. Paint: Special, contact Ken Lozo, 427-1253. OPTIONS 1. Utility Body Specifications a. Dimensions: 79" wide by 96" long. b. Body Construction: All welded steel with structural steel reinforcements. Street side storage compartments for tools and parts. side compartments for gas bottles and electric welding machines. Tow Pintle Plate: Plate provided for mounting of C. combination pintle/ball hitch at 22" ball height. Installed behind front and rear wheels. d. Mudflaps: e. Rustproofing: Body bottom and compartments. Miscellaneous: Install backup alarm. . Running, brake, turn signal and marker lights installed as required by regulations.

set.

2.

Manuals:

Complete dealer service manual

3.	Chassis/Body Rustproofing:	Frame, chassis, body and fenders rustproofing in accordance with Milspec 297A-2-22-75 with warrenty provided. Rustproofing to be done after body installation.	\$
4.	Trade In:	1979 Chevy 1 ton Dump # 45	\$
		Subtotal Less Trade TOTAL FOB: Fort Wayne, In Delivery Time must be within 90 days award or purchase may be cancelled. Delivery time ARO APPRIX. 1200	

Questionnaire

3/4 TON REGULAR CAB TRUCK CHASSIS AND UTILITY BODY SPECIFICATIONS.

Truc	k Chassis
1:	8600 # 1992 Yord F-250 H.D.
2:	133 W/B
3:	4200#
4:	6250# Linted Slip w/4.10 Ratio
5:	351-V8 5,8L gas EFi
6:	as spec
7:	75 AMP ALT - 72 AMP Battery 65000A
8:	as spec
9:	as spea Seyser Cooling Plag
10:	as spee
11:	as spec
12:	Front 3890# - Rear 6141#
13:	as spec Dies Frt - Drum Rear
14:	as spec
15:	as spec
16:	as open
17:	as spec
18:	as spec
19:	an open
20:	as spec
21:	as spec
22:	as spec
23:	37.2 gallon
24:	or spec
as 1	tree -4- OPTions 1,00 spec
an 4	apec 3. Z-Bart

25.

26.

QUOTATION

2423

HOOSIER TRUCK EQUIPMENT INC.

5733 U.S. 30 East FORT WAYNE, INDIANA 46803

GM SHIP THRU - VWR (219) 493-2581 FAX (219) 493-1007 PLEASE INDICATE THE ABOVE NUMBER WHEN ORDERING

QUOTATION DATE SALESPERSON 11/5/91 NIM City of Ft. Wayne INQUIRY DATE Bid Reference # 1587 INQUIRY NUMBER Net 30 days Ft. Wayne Advise QUANTITY PRICE AMOUNT Omaha Standard Service Body One Model 96V 96" long, installed complete. Body rustproofed per specifications. 7PR-80-32-87505 Treadplate Rear Bumper with recess for pintle hook. Combination pintle ball hitch installed. XBL-1 Recessed rear lights, installed in rear of body. Back-up alarm installed Mudflaps, installed behind front & rear wheels. Total net price including painting, and 00 2593. removal of original pickup body. Note above equipment & installation, meets or exceeds referenced bid specifications. included.

	UOTATION IS SUBJECT TO THE CONDITIONS PRINTED ON REVERSE SIDE	E. AND IS VALID FOR	DAYS. THEREAFTER IT IS SUBJECT TO CI	HANGE WITHOUT NOTICE
9	2/1/6/2			
BY	MICH VALACIEN	ACCEPTED		DATE
			Thank Yo	w!

OF DI EASED TO SUBJUIT THE ABOVE QUOTATION FOR YOUR CONSIDERATION SHOULD YOU PLACE AN ORDER, BE ASSURED IT WILL RECEIVE OUR PROMPT ATTENTION. THIS

1 TON REGULAR CAB AERIAL BUCKET TRUCK SPECIFICATIONS

Model	Year:	1991	- 1992	Demonstrator

1. GVW: 10,000 lb minimum.

2. Wheelbase: 135 inches minimum.

3. Front Axle Rating: 4,200 lb minimum, non driven.

4. Rear Axle Rating: 7,400 lb minimum, 4.10 ratio.

5. Engine: 350 CID minimum fuel injected, pasoline

preferred.

6. Transmission: Heavy duty 3 speed automatic with heavy

duty oil cooler.

7. Electrical System: 12 volt system. Heavy duty alternator

with 70 amp minimum rating. Heavy duty

maintenance free battery.

8. Steering: Power.

Cooling System: Heavy duty.

10. Air Cleaner: Standard.

11. Shock Absorbers: Front/rear heavy duty gas filled.

12. Springs: Front 4,200 lb minimum. Rear 8250 lb

minimum rating.

13. Brakes: Power assisted dual system with rear

antilock.

14. Bumper: Front only, painted.

15. Cab Interior: Dual padded visors.

Cab dome light.

Heavy duty full foam padded vinyl seat.

Seat belts for three passengers.

Chestnut vinyl or equivalent interior.

16. Directional Signals: Self cancelling front and rear.

17. Headlights: Halogen with high impact lenses.

18. Windshield Wipers: Two speed intermittent with washer.

19. Heater/Defroster High output with fresh air/recirculation.

Side window demisters.

20. Instruments: All gauge type: ammeter, oil pressure,

water temperature, fuel.

21. Indicators: High beam, brake failure, turn signals.

22. Mirrors: Day/night interior. Left and right door

mounted 6" x 9" swing lock.

23. Fuel Tank: 35 gal minimum.

24. Glass: Tinted. Pivoting side vent windows.

25. Tires: Front/Spare - LT215/85RX16D. Rear - Dual LT215/85RX16D.

All weather tires.

26. Miscellaneous: Inside hood release.

Standard AM Padio.

27. Paint: Special, contact Ken Lozo, 427-1253.

LIFT ALL INSULATED AERIAL BUCKET DEVICE

5.

€.

Safety Devices:

Miscellaneous:

1. Height: 32 foot working height minimum. Overall

vehicle ground clearance not over 9 feet.

2. Platform: Single side or end hung solid fiberglass.

Minimum dimensions 24" x 24" x 42" high.

Automatic hydraulic leveling.

3. Pedestal: 360 degree non continuous rotation with

automatic stop mechanism.

4. Hydraulic System: Fan belt driven hydraulic pump.

Minimum 5 gallon hydraulic fluid reservoir

with suction and return filters.

Automatic throttle control.

Full hydraulic controls at the platform with fast/slow option and full controls at the pedestal with manual override of the

platform controls.

Electrical backup hydraulic system.

Safety belt attachment ring mounted on boom within easy reach of operator.
Other devices installed as required by

OSHA and any other applicable regulations.

USHA and any other applicable regulation

Engine driven 115 volt electrical system with weatherproof receptacle mounted at

utility body.

READING OR MONROE UTILITY BODY SPECIFICATIONS

1.	Dimensions:	79" wide by 96" long.
2.	Body Construction:	All welded steel with structural steel reinforcements. Steet and curb side storage compartments for tools and parts.
3.	Mudflaps:	Installed behind front and rear wheels.
4.	Stabilizer Assembly:	Overframe torsion bar or single manual/hydraulic outrigger on each side.
5.	Rustproofing:	Body bottom and compartments.
6.	Miscellaneous:	Install backup alarm. Running, brake, turn signal and marker lights installed as required by regulation.
GEN	ERAL	
1.	Installation:	Aerial bucket device, utility body, hydraulic system and 115 volt system to be installed on chassis.
2.	Paint:	Unit to be painted with two coats of Dupont Imron air dry enamel, color of our choice.
OPT	IONS	
1.	Manuals:	Complete dealer service manual \$set.
2.	Chassis/Body Rustproofing:	Frame, chassis, body and fenders sustproofing in accordance with Milspec 297A-2-22-75 with warrenty provided.
		Subtotal
		TOTAL (\$)
		FOB: Fort Wayne, In
		Delivery Time must be within 90 days of bid award or purchase may be cancelled.
		Delivery time ARO
	-	Did prigge valid for dave

1 TON REGULAR CAB CHASSIS AND DUMP BED SPECIFICATIONS.

Model	Year:	1992
-------	-------	------

1.	GVW:	10.000	1 b	minimum.
----	------	--------	-----	----------

2. Wheelbase: 160 inches minimum.

3. Front Axle Rating: 4,200 lb minimum, non driven.

4. Rear Axle Rating: 7,400 lb minimum, 4.10 ratio.

5. Engine: .350 CID minimum fuel injected, gasoline

preferred.

6. Transmission: Heavy duty 3 speed automatic with heavy

duty oil cooler.

7. Electrical System: 12 volt system. Heavy duty alternator

with 70 amp minimum rating. Heavy duty

maintenance free battery.

3. Steering: Power.

9 . Cooling System: Heavy duty.

10. Air Cleaner: Standard.

11. Shock Absorbers: Front/rear heavy duty gas filled.

12. Springs: Front 4,200 lb minimum. Rear 8250 lb

minimum rating.

13. Brakes: Power assisted dual system with rear

antilock.

14. Bumper: Front only, painted.

15. Cab Interior: Dual padded visors.

Cab dome light.

Heavy duty full foam padded vinyl seat.

Seat belts for three passengers.

Chestnut vinyl or equivalent interior.

Full Subben Class mats.

16. Directional Signals: Self cancelling front and rear.

17. Headlights: Halogen with high impact lenses.

18. Windshield Wipers: Two speed intermittent with washer.

19. Heater/Defroster . High output with fresh air/recirculation.

Side window demisters.

20. Instruments: All gauge type: ammeter, oil pressure,

water temperature, fuel.

21. Indicators: High beam, brake failure, turn signals.

22. Mirrors: Day/night interior. Left and right door

mounted 6" x 9" swing lock.

23. Fuel Tank: 35 gal minimum.

24. Glass: Tinted. Pivoting side vent windows.

25. Tires: Front/Spare - LT215/85RX16D. Rear - Dual LT215/85RX16D.

All weather tires.

26. Miscellaneous: Inside hood release.

AM/FM electronic radio.

27. Paint: Special, contact Ken Lozo, 427-1253.

OPTIONS

1. Heil Dump Body

1. Dimensions: 8' long x 6 1/2' wide.
Sides - 10" high minimum.

Tailgate - 16" high minimum.

2. Body Construction: 10 gauge hi tensile steel.

Full length rub rail.

Full boxed front/center/rear posts.

Full welded construction.

Fully sealed seams.

3. Tailgate: Removable double acting. Heavy duty offset hardware.

Front control for tailgate.

4. Hoist: Class C rated 6 ton capacity.

Electro-hydraulic pump.

Minimum 45 degree dump angle.

Power up and down.

Body prop required by OSHA.

'Cab floor mounted hoist control.

6. Cab Protectors: Cover 1/4 of cab.

2 inch clearance from door opening arc. 10" x 20" opening centered on chassis rear window. Expanded metal guard in

1/4" x 1" frame welded over opening.

6. Mudflaps: Installed behind front and rear wheels.

	7. Tow P	intle Plate:		Heavy duty channel plate moun between frame members to moun combination pintle hitch at 2 to top of ball height.	t
	8. Rustp	roofing;		Body bottom and posts.	
	9. Misce	llaneous:		Install backup alarm. Gas tank filler pipes to be maccessible for filling withou body. Two bed steps and two hand rainstalled per attached drawin BED IS TO BE INSTALLED WITH A CLEARANCE FOR CARGO STORAGE C MOUNTED BETWEEN BED AND CAB.	t raising ils g. DEGUATE
2.	Cargo Sto	orage Compar	tment		
	1. Dimens	sions:		6 1/2' long x 23" wide. Top obstruct opening in dump bed protector. Sides contoured to outline.	cab
	2. Body (Construction	•	Galvanized steel. Full welded construction. Fully sealed seams. Doors hinged to open towards Full width upper storage comp. Drop side lower compartment.	
3.	Additiona	al Chassis:	Purch chass	nase of second identical sis.	\$
4.	Manuals:		Comp)	lete dealer service manual	\$
5.	Chassis/E Rustproof	_	rustp	e, chassis, body and fenders proofing in accordance with pec 297A-2-22-75 with warrenty	\$provided.
6.	Trade In:	1	1979	Chevy 1 ton dump #9	\$575,
			1978	Ford 1 ton dump #33	\$575,-
			Subto	stal	\$18,669,
			Less	Trade	\$//50.

\$17,519.

FOB: Fort Wayne, In
Delivery Time must be within 90 days of bid
award or purchase may be cancelled.
Delivery time ARO Approx. /20 days

Bid prices valid for 45 days.

Questionnaire

1 TON REGULAR CAB CHASSIS AND DUMP BED SPECIFICATIONS.

	Chassis
1:	1992 Ford F.350 Chassis Col- 11,000#
2:	161" 1018
3:	as spec
4:	as spec
5:	351-V8 gas 5.8L
6:	as spec
7:	15 Ampalt as spec - 12 AMP Battery 650 CCA
8:	as spec
9:	as spec Super Coling PKs
10:	as spec
11:	as spec
12:	ao speo
13:	as spec Disc Front - Drum Keer
14:	to spee
15:	ao spec
16:	as spec
17:	a spec
18:	an spec
19:	as spec
20:	as spec
21:	as spea
22:	or spec
23:	37,2 gallon

24:	as spec	
25: _	as spec	
26: _	es spec	
27:	as spec	<u>-</u>
Option	5	
1: _	as open attached	
2:		
3: _	Kustprofing is Z-Bar	土
4:		
5: _		
6		

QUOTATION

2422

HOOSIER TRUCK EQUIPMENT INC.

5733 U.S. 30 East FORT WAYNE, INDIANA 46803

GM SHIP THRU - VWR (219) 493-2581 FAX (219) 493-1007 PLEASE INDICATE THE ABOVE NUMBER WHEN ORDERING

TO City of Ft. Wayne
Bid Reference # 1587;

OUOTATION DATE

11/5/91

MJN

INQUIRY DATE

INQUIRY NUMBER

aller Country Wobox Bed

MATED SHIPPING DATE	SHIPPED VIA	FO.B. Ft.Wayne	Net 30 da	ays
QUANTITY	DES		PRICE	AMOUNT
One	Rub Rail, Boxed side welded. Double acting tail Hoist Model 1617 DE 45 degree dump anging Electric Hydraulic Body Prop. In cab Homody Prop. In cab Homody Hold School Sch	ide es 16" ends. steel in lieu of std. de posts, fully gate, removable. L, 6 tons cap. at. le. (Double Acting) Fump. oist control. th 10"x20" screened d behind front & rear n rear attached to truck ation pintle & Ball Hitch bove ground. posts, rustproofed. d rails installed. ck Mate: Storage Cabinet h x 82' deep, with ontoured to cab outline. truction, fully welded. stalled and painted, flectors.	richala Bie	7 4549 a

WE ARE PLEASED TO SUBMIT THE ABOVE QUOTATION FOR YOUR CONSIDERATION. SHOULD	YOU PLACE AN ORDER, BE ASSURED IT WILL RECEIVE OUR PROMPT ATTENTION. THIS
QUOTATION IS SUBJECT TO THE CONDITIONS PRINTED ON REVERSE SIDE. AND IS VALID FOR	DAYS. THEREAFTER IT IS SUBJECT TO CHANGE WITHOUT NOTICE

Thank You!

3/4 TON CARGO VAN SPECIFICATIONS.

Model Year: 1992

1. GVW: 7000 1b minimum.

2. Wheelbase: 135 inches minimum.

3. Front Axle Rating: 4000 lb minimum, nondriven.

4. Rear Axle Rating: 5400 lb minimum, 3.73 ratio.

5. Engine: 6 cyl 290 CID minimum, fuel injected,

gasoline preferred.

6. Transmission: Heavy duty 3 speed automatic with heavy

duty oil cooler.

7. Electrical System: 12 volt system. Alternator with 70 amp

minimum rating. Heavy duty maintenance

free battery.

8. Steering: Power.

9. Cooling System: Standard duty.

10. Air Cleaner: Standard.

11. Shock Absorbers: Front/rear heavy duty gas filled.

12. Springs: Front 4000 lb minimum rating. Rear 5400

1b minimum rating.

13. Brakes: Power assisted dual system with rear

antilock.

14. Bumpers: Front and rear, painted

15. Cab Interior: Dual padded visors.

Cab and cargo area dome lights.

Heavy duty full foam padded vinyl dual

bucket seats.

Seat belts for two passengers.

Chestnut vinyl or equivalent interior.

Full rubber floor mats.

16. Directional Signals: Self cancelling front and rear.

17. Headlights: Halogen with high impact lenses.

18. Windshield Wipers: Two speed intermittent with washer.

19. Heater/Defroster: Heavy duty heater/air esmeltioner with

fresh air/recirculation. Side window

demisters.

20. Instruments: All gauge type: ammeter, oil pressure,

water temperature, fuel.

21. Indicators: High beam, brake failure, turn signals.

22. Mirrors: Day/night interior. Left and right door

mounted 6" x 9" swing lock.

23. Fuel Tank: 20 gal minimum.

24. Glass: Tinted. Pivoting side vent windows.

25. Tires: Front/Rear/Spare - LT225/75RX16E. Black

side wall all weather tires.

26. Miscellaneous: Inside hood release.

Standard AM-Fadio.

27. Paint: Special, contact Ken Lozo, 427-1253.

BODY SPECIFICATIONS

Door: Sliding side door with fixed glass.

Hinged rear doors with fixed glass.

2. Hardware: Tie down rings. Occupant protection cage

with walk through.

3. Mudflaps: Installed behind front and rear wheels.

4. Miscellaneous: Install backup alarm.

OPTIONS

2.

1. Manuals: Complete dealer service manual \$210.

set.

Frame, chassis, body and fenders \$/30.50 rustproofing in accordance with Milspec 297A-2-22-75 with warrenty

provided.

provided

3. Rear Air Conditioner/ Heater

Chassis/Body

Rustproofing:

Add TO NETBID \$ 1582.

		•	
4.	Additional Van:	Purchase of second identical van.	\$13,925,
5.	Trade In:	1980 Ford 1/2 ton Van #44	\$
	•		
		Subtotal	
	*	Less Trade	\$ 275
		TOTAL	\$/3,650
		FOB: Fort Wayne, In	
		Delivery Time must be within 90 days award or purchase may be cancelled.	s of bid
		Delivery time ARO ADDROY, 120	DAUS

Bid prices valid for 45 days.

Questionnaire

3/4 TON CARGO VAN SPECIFICATIONS.

<u>Van</u>	
1:	7200#BVW New01992 Ford Econoline E-250
2:	Cargo Van 138" W/B
3:	4600#
4:	5400 # 3.54 aple Ratio
5:	60yl 300 eiD gos EFi
6:	as spec
7:	95 AMP alt - 72 AMP Battery 650CCA
8:	as open
9:	as spec
10:	as open
11:	as spec
12:	Front 3700# - Rear 4265#
13:	as spec Disc 4-t-Drunker
14:	as spec
15:	as spec
16:	as spec
17:	as spec
18:	as opec
19:	as spec
20:	as spec
21:	a sper
22:	as spec
23:	22 gallon
24:	as spec

25:	as spec
26:	as spec as spec
27:	as spec
Body	
1:	av spec
2:	as spec
3:	as spec
4:	as spec
Optio	ns ·
1:	as spec
2:	Z-Bort
3:	08
4:	
E	

BID, OFFER OR PROPOSAL FOR SALE OR LEASE OF MATERIALS

(Please type or print)

0'-	Date: 1/- 18-91
1. Governmental Unit: City a	+ FT. WAYNE
3. Bidder (Firm): Alleri	
Address: 2300 W	2. LEFFERSON BLUT
City/States FT. WA	MUC, IN NEXOS
4. Telephone Number: 432	- 9545
5. Agent of Bidder (If applicable):	CNNIS MillER FIRET MAR
Pursuant fornotices given, the undersigned of ernmental Unit) in accordance with the following attac description, quantity, unit, unit price and total amou	hment(s) which spedly the class or I fem number or
The contract will be awarded by classes or ite alterations in the litems specified will render such by he has not offered nor received a less price than the said bid. Ridder further agrees that he will not with certified check or bond shall be filed with each bid i able upon the contract, the bond or certified check or	draw his bid from the office in which it is the
	Agriature of Bidder or Agent
3:	•
BID OFFER OF	PROPOSAL
Attach senerate sheet listing and law state	ed on specifications published by governing body.
Following is an example of the bid format:	
Class or Item Quantity Unit	Description Unit Frice Amount
New 1992 FORDS PER ATTACK	PRICING Sheats
AND ATTACHED Specificati	bo sheets
NON-COLLUSION	ASSIDAVLY
STATE OF INDIANA)	
AILEN COUNTY) SS:	
entered into any combination, collusion or agreement all	in any person relative to the price to be bid by
combination with any other person in reference to such t	old and without any agreement, understanding or idding.
or Indirectly, any rebate, iee, gift, commission or thin	g of value on account of such safe.
	Alten Courty MoTORS, TAC.
	Signature of Bidder or Agent
Subscribed and sworn to before me this 18	day of NOV, 1991.
My Commission Expires: 8-17-93	Oram Wave-
County of Residence: Alleh	Notary Public
	Notary Public Printed Name
	Notary Public Printed Name
ACCEPTA	MCE
There now being sufficient unabligated appropria (Governmental Unit) he lasses or liems numbered and promises to	ted funds available, the contracting authority of reby accepts the terms of the attached bid for pay the undersigned bidder upon delivery the price
puoted for the materials stipulated. In said bid.	Date:
Contracting Authority Hembers:	Valet

Bond	3	Ţ,	0																								
Dond	4	4,	v	٠			-	4	-	*	٠	*	-	-	* 1	٠		-	-	-	٠	-	•	-	٠		

Fidelity and Deposit Company

HOME OFFICE

OF MARYLAND

BALTIMORE, MD. 21203

BID BOND

KNOW ALL MEN BY THESE PRESENTS:	
That we, ALLEN COUNTY MOTORS, INC.	
2300 W. Jefferson Blvd.	
Fort Wayne, IN 46804 , a the Fidelity and Deposit Company of Maryland, o under the laws of the State of Maryland, as Surety, (here unto CITY OF FORT WAYNE	of Baltimore, Maryland, a corporation duly organized
One Main Street	
Fort Wayne, IN 46802 in the sum of Five Percent (5%) of Contractors for the payment of which sum well and truly to be made, our heirs, executors, administrators, successors and assig	s Maximum Bid————Dollars (\$), the said Principal and the said Surety, bind ourselves,
	Bid Ref. #1587 - New 1992 Ford One Ton
Dump and New 1992 Ford 3/4 Ton Utility Tru	uck and New 1992 Ford 3/4 Ton Cargo Van.
NOW, THEREFORE, if the Obligee shall accept the a contract with the Obligee in accordance with the term specified in the bidding or contract documents with goo such contract and for the prompt payment of labor and event of the failure of the Principal to enter into such coshall pay to the Obligee the difference not to exceed the bid and such larger amount for which the Obligee may the work covered by said bid, then this obligation shall be a	od and sufficient surety for the faithful performance of material furnished in the prosecution thereof, or in the contract and give such bond or bonds, if the Principal e penalty hereof between the amount specified in said in good faith contract with another party to perform
Signed and sealed this 18th	day of November A.D. 19 91
A les M. Miller Witness	ALLEN COUNTY MOTORS, INC. (SEAL) Principal Title Cee
FIDELITY AND I	DEPOSIT COMPANY OF MARYLAND Surety
Diann A. Russell Witness	By Circle (SEAL) Virginia T. Axson Attorney-in-Fact

Power of Attorney

FIDELITY AND DEPOSIT COMPANY OF MARYLAND

HOME OFFICE, BALTIMORE, MD

	KNOW ALL MEN BY THESE PRESENTS: That the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, a corporation of the State of Maryland, by C. M. PECOT, JR., Vice-President, and C. W. ROBBINS Assistant Secretary, in pursuance of authority granted by Article VI. Section 2, of the By-Laws of said Company, which are set forth on the reverse side hereof and are hereby certified to be in full force and effect on the date hereof, does hereby nominate, constitute and appoint Duane E. Lupke, Donald L. Coffey, Edward B. Rice, Virginia T. Axson,
	Gerald Clancy and Judith A. Snyder, all of Wayne Indiana, EACH
-	its true and lawful agent and Attorney-in-Fact, to make, execute, seal and deliver, for, and on its behalf as surety, and as its act and deed:
	any and all bonds and undertakings
	And the execution of such bonds or undertakings in pursuance of these presents, shall be as binding upon said Company, as fully and amply, to all intents and purposes, as if they had been duly executed and acknowledged by the regularly elected officers of the Company at its office in Baltimore, Md., in their own proper persons. This power of attorney revokes that
	issued on behalf of Duane E. Lupte, etal, dated, October 1, 1987.
	The said Assistant Secretary does hereby certify that the extract set forth on the reverse side hereof is a true copy of Article VI, Section 2, of the By-Laws of said Company, and is now in force. IN WITNESS WHEREOF, the said Vice-President and Assistant Secretary have hereunto subscribed their names and affixed the
	Corporate Seal of the said FIDELITY AND DEPOSIT COMPANY OF MARYLAND, this 24th day of July , A.D. 1990
	ATTEST: FIDELITY AND DEPOSIT COMPANY OF MARYLAND By Current Vice-President
	STATE OF MARYLAND CITY OF BALTIMORE SS:
	On this 24th day of July , A.D. 1990 , before the subscriber, a Notary Public of the State of
	Maryland, in and for the City of Baltimore, duly commissioned and qualified, came the above-named Vice-President and Assistant
	Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, to me personally known to be the individuals and officers
	described in and who executed the preceding instrument, and they each acknowledged the execution of the same, and being by
	me duly sworn, severally and each for himself deposeth and saith, that they are the said officers of the Company aforesaid, and
	that the seal affixed to the preceding instrument is the Corporate Seal of said Company, and that the said Corporate Seal and their
	signatures as such officers were duly affixed and subscribed to the said instrument by the authority and direction of the said Corporation. IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the City of Baltimore, the day and
	year first above written.
	and f. Jalen
	Notary Public Commission Expires August 1, 1992
	Volute 1
	CERTIFICATE
	I, the undersigned, Assistant Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, do hereby certify that the original Power of Attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the Vice-President who executed the said Power of Attorney was one of the additional Vice-
	Presidents specially authorized by the Board of Directors to appoint any Attorney-in-Fact as provided in Article VI, Section 2, of
	the By-Laws of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND. This Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of the

FIDELITY AND DEPOSIT COMPANY OF MARYLAND at a meeting duly called and held on the 16th day of July, 1969.

RESOLVED: "That the facsimile or mechanically reproduced signature of any Assistant Secretary of the Company, whether made heretofore or hereafter, wherever appearing upon a certified copy of any power of attorney issued by the Company, shall be valid

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seal of the said Company, this 18th

and binding upon the Company with the same force and effect as though manually affixed."

044-2987

November

Christophes T. hadd

Don't the filmet time in full and	as solder by Hebmidh
Read the first time in full and seconded by and duly	v adopted, read the second time by
seconded by hold, and duly title and referred to the Committee on	Junio (and the
City Plan Commission for recommendation	n) and Public Hearing to be held after
due legal notice, at the Common Council	
Building, Fort Wayne, Indiana, on of , at	o'clock M, E.S.T.
DATED: 12-10-91	Sandra p. Leunedy
	SANDRA E. KENNEDY, CITY CLERK
Read the third time in full and	on motion by the mark.
seconded by () add , and d	duly adopted, placed on its passage.
PASSED by the following vote:	
AYES	NAYS ABSTAINED ABSENT
AILS	NATO ADDITITUD ABSENT
a	
TOTAL VOTES	
BRADBURY	
BURNS	
EDVONDS	
EDMONDS	
GiaQUINTA	
WHAT	
HENRY	
LONG	· ·
REDD	
SCHMIDT	
TALARICO	- V
1)-21-61	Sandra F. Lennedy
DATED: 12-26-91	
	SANDRA E. KENNEDY, CITY CLERK
Passed and adopted by the Common	Council of the City of Fort Wayne,
	(67,177,17)
Indiana, as (ANNEXATION) (APPROPR	
(SPECIAL) (ZONING MAP) ORDINANO	E RESOLUTION NO. 3-343-9/
on the 36d day of Old	200/10/ 10/9/
ATTEST;	(SEAL)
	f 1 to
Sandra f. Lennedy	Samuel Jalarico
SANDRA E. KENNEDY, CITY CLERK	Samuel & Talarico PRESIDING OFFICER
	all Class of Book Warran Talkana
	the City of Fort Wayne, Indiana, on
the 27th day of	Clamber , 1971
at the hour of 1:30 o'clock	M F S T
at the hour of o clock_	Sandra F. Lennedy
	Sandra F. Lennedy
	SANDRA E. KENNEDY, CITY CLERK
	^
Approved and signed by me this_	Sid day of thrusy
19 92, at the hour of 11:45	o'clock) A M. R.S.T.
in the field of	1
	1.11.611
	PAUL HELMKE, MAYOR

DIGEST SHEET

TITLE OF ORDINANCE: Special

DEPARTMENT REQUESTING ORDINANCE: Purchasing

SYNOPSIS OF ORDINANCE: An ordinance approving the award of Reference No. 1587 for the purchase or trucks for the Park Department.

IF NOT LOWEST, WHO WAS AND WHY WERE THEY NOT AWARDED:

EFFECT OF PASSAGE: The following list of vehicles replaces unsafe vehicles: 2-one ton dump regular cab chassis; 2-3/4 ton utility truck regular chassis; 2-3/4 ton cargo vans.

IF REPLACEMENT, WHAT NECESSITATES: Current trucks are unsafe and can not be repaired.

EFFECT OF NON-PASSAGE: Potential liability from employees having to drive unsafe trucks and having accidents.

MONIES INVOLVED: Allen County Motors \$98336.00+/-

ACCOUNT INFO: Park Department 121-121-P260-4444 121-121-P250-4444

121-121-P252-4444 121-121-P210-4444 121-121-P230-4444

J- 51-12-12

PRICE AGREEMENT: NO

PURCHASE ORDER: YES

SOURCE OF FUNDING: Park Department

PRIOR APPROVAL: No DATE: (IF APPLICABLE)

REPORT OF THE COMMITTEE ON FINANCE

MARK E. GiaQUINTA, CHAIRMAN DONALD J. SCHMIDT, VICE CHAIRMAN BRADBURY, REDD, BURNS

E, YOUR COMMITTEE ON_	FINANCE		_TO WHOM WAS
REFERRED AN (ORDINANC of Reference #1587 b	(RESOLVEION by the City of For	approving approving two approving the state of the state	g the awarding ana, by and
through its Departme for the Parks and Re	ent of Purchasing	and ALLEN COU	NTY MOTORS, IN
TOT CITC TATIO AND THE	Oldation Beparem		
HAVE HAD SAID (ORDINA	NCE) (RESODUTE	32419	NSIDERATION
	RT BACK TO THE CO	MMON COUNCIL '	THAT SAID
OPDINANCE: CRESONS		· · · · · ·	
, 0		3 DOM 3 TM	NO DEC
. 0	NOT PASS	ABSTAIN	NO REC
, 0	O NOT PASS	ABSTAIN	NO REC
, 0	NOT PASS	ABSTAIN	NO REC
DO PASS Mile Alle Alle Alle Alle Alle Alle Alle A	O NOT PASS	ABSTAIN	NO REC
. 0	NOT PASS	ABSTAIN	NO REC
DO PASS Mile Allegant —	O NOT PASS	ABSTAIN	NO REC
DSJm	O NOT PASS	ABSTAIN	NO REC
DO PASS Male Company DO	O NOT PASS	ABSTAIN	NO REC
DO PASS Mile Alle Alle Alle Alle Alle Alle Alle A	O NOT PASS	ABSTAIN	NO REC
DO PASS Male Company DO	O NOT PASS	ABSTAIN	NO REC
DO PASS Male Company DO	O NOT PASS	ABSTAIN	NO REC

DATED: 12-19-91